



IT'S TIME TO
GET YOUR
FLU VACCINE



Reduce the risk of severe flu-related illness by 40-60%.

WHO?

Everyone ages 6 months and older.

WHEN

Fall, ideally by the end of October.

For more information, consult your health care provider.

IT'S TIME TO

Extension
UtahStateUniversity®



GET YOUR FLU VACCINE



Reduce the risk of severe flu-related illness by 40-60%.

WHO?

Everyone ages 6 months and older.

WHEN

Fall, ideally by the end of October.

For more information, consult your health care provider.



WHY SHOULD I

GET MY FLU VACCINE?



To reduce the risk of severe
flu-related illness by 40-60%.

WHO?

Everyone ages 6 months and older.

WHEN

Fall, ideally by the end of October.

For more information, consult your health care provider.



IT'S TIME TO GET YOUR VACCINES



Vaccinate for seasonal flu and COVID-19.

WHO?

Most people 6 months and older should consider the flu vaccine and COVID-19 vaccine or booster.

WHEN

As soon as you can this fall. It is safe to get the flu and COVID-19 vaccines together.

For more information, consult your health care provider.



IT'S TIME TO

Extension
UtahStateUniversity®



GET YOUR

VACCINE



Vaccinate for seasonal flu and COVID-19.

WHO?

Most people 6 months and older should consider the flu vaccine and COVID-19 vaccine or booster.

WHEN

As soon as you can this fall. It is safe to get the flu and COVID-19 vaccines together.

For more information, consult your health care provider.



WHY SHOULD I

GET MY

VACCINES?



To significantly reduce the risk of severe COVID-19 and reduce the risk of severe flu-related illness by 40-60%.

WHO?

Most people 6 months and older should consider the flu vaccine and COVID-19 vaccine or booster.

WHEN

As soon as you can this fall. It is safe to get the flu and COVID-19 vaccines together.

For more information, consult your health care provider.